

PRODUCT GUIDE

Essential Series



AT-GRADE



dAxis-4 dAXS4

106 lm*, 2.2 W

Single Colour



dAxis-5 dAXS5

289 lm*, 4.4 W

Single Colour RGBW



dAxis-7 dAXS7

751 lm*, 12.2 W

Single Colour RGBW



dAlta dALT

751 lm*, 12.2 W

Single Colour Wildlife-Friendly RGBW



dLuna dLUN

751 lm*, 12.2 W

Single Colour Wildlife-Friendly RGBW



dAria-6 dARI6

210 lm*, 2.8 W

Single Colour



dFresco-7 dFRS7

104 lm*, 2.2 W

Single Colour



dFresco-9 dFRS9

265 lm*, 4.4 W

Single Colour Wildlife-Friendly RGBW



dFresco-11 dFRS11

811 lm*, 12.2 W

Single Colour RGBW



dTessa-6 dTSA6

337 lm*, 5.4 W

Single Colour

AT-GRADE



Astelia **AS1** LS782LED

512 lm*, 6.0 W

■ Single Colour



Grevillea **GR1** LS192LED

2 x 512 lm*, 12.0 W

■ Single Colour



Grevillea **GR2** LS192-2LED

512 lm*, 6.0 W

■ Single Colour



Vedita **VE2** LS9402LED

180 lm*, 2.8 W

■ Single Colour



IN-GRADE



nVault nVLT15

321 lm*, 12.2 W

■ Single Colour ■ RGBW



nSola nSLA15

337 lm*, 5.4 W

■ Single Colour



nColumn-10 nCOL10

192 lm*, 11.0 W


■ Single Colour ■ RGBW



nBlaze-20 nBLZ20

20 lm*, 2.3 W

■ Single Colour ■ RGBW



WALL-MOUNT (RECESSED)



rFin **rFIN**

10-26 lm*, 4.4 W

Single Colour RGBW



rStrata **rSTR**

10-14 lm*, 2.2 W | 4.4 W

Single Colour



rEcho **rECH**

44-133 lm*, 2.2 W | 7.2 W

Single Colour Wildlife-Friendly RGBW



rHatch-8 **rHCH8**

132 lm*, 4.4 W

Single Colour RGBW



rHatch-12 **rHCH12**

132 lm*, 4.4 W

Single Colour RGBW



rStep-8 **rSTP8**

48-78 lm*, 2.2 W | 4.4 W | 7.2 W

Single Colour RGBW



Medina **MA2 LS151LED**

210 lm*, 2.8 W

Single Colour

Available in North America Only

WALL-MOUNT (SURFACE-MOUNT)



Portico **PO1** LS731LED

846 lm*, 11.0 W

Single Colour RGBW



Piazza **P11** LS741LED

53 lm*, 2.2 W

Single Colour RGBW



Villa **VI1** LS751LED

751 lm*, 12.2 W

Single Colour RGBW



Villa **VI2** LS751-2LED

846 lm*, 11.0 W

Single Colour RGBW



Hakea **HA1** LS201LED

512 lm*, 6.0 W

Single Colour Blue (470 nm)



Cassia **CA1** LS121LED

210 lm*, 2.8 W

Single Colour

Available in North America Only



Pagoda **PA1** LS321LED

210 lm*, 2.8 W

Single Colour

Available in North America Only



Pagoda **PA2** LS321-2LED

210 lm*, 2.8 W

Single Colour

Available in North America Only



Magnolia **MA1** LS722LED

210 lm*, 2.8 W

Single Colour

Available in North America Only



sDelta-8 **sDLT8**

846 lm*, 11.0 W

Single Colour RGBW



sQuad-4 **sQAD4**

53 lm*, 2.2 W

Single Colour



sQuad-8 **sQAD8**

751 lm*, 12.2 W

Single Colour RGBW

WALL-MOUNT (SURFACE-MOUNT)



sShell-9 **sSHL9**

52 lm*, 2.2 W

Single Colour



sStrip-17 **sSRP17**

95 lm*, 2.2 W

Single Colour RGBW



DOWNLIGHTS



dBeam-5 dBEM5

101 lm*, 2.2 W

Single Colour



dBeam-6 dBEM6

289 lm*, 4.4 W

Single Colour RGBW



dBeam-8 dBEM8

751 lm*, 12.2 W

Single Colour RGBW



dChaz-6 dCHZ6

337 lm*, 5.4 W

Single Colour



Medina ME1 LS134LED

970 lm*, 14.2 W

Single Colour RGB



sDrum-8 pDRM8

864 lm*, 13.5 W

Single Colour RGBW



pShimmer-4 pSHM4

209 lm*, 2.2 W

Single Colour



pShimmer-6 pSHM6

209 lm*, 4.4 W

Single Colour RGBW



MINI-BOLLARDS



aPillar aPLR

506 lm*, 12.2 W

Single Colour RGBW



aRondel-6 aRDL6

113 lm*, 4.4 W

Single Colour RGBW



aLance-6 aLNC6

95 lm*, 2.2 W

Single Colour RGBW



aSickle-7 aSKL7

286 lm*, 9.3 W

Single Colour RGBW



aSpur-6 aSPR6

152 lm*, 4.4 W

Single Colour RGBW



TRADITIONAL PATHWAY



aDuke aDUK

19-210 lm*, 4.4 W

■ Single Colour ■ RGBW



aEmpress aEMP

51-210 lm*, 4.4 W

■ Single Colour ■ RGBW



aCount aCOT

166 lm*, 4.4 W

■ Single Colour ■ RGBW



UNDERWATER



uPebble **UPBL**

875 lm*, 9.0 W

■ Single Colour ■ RGBW



uTide **UTID**

1,437 lm*, 15.0 W

■ Single Colour ■ RGBW



POWER & CONTROLS



Multi-Tap Transformer
PROLINK PL



Lighting Controller
ZDCLink



Luxor Satellite Controller
SATLINK

LUXOR® TECHNOLOGY

Bring Your Nighttime Living Space to Life

When ZDCLink controls an LED landscape lighting system, lights don't simply turn on and off. They come alive. ZDCLink is the most advanced and flexible low-voltage landscape lighting transformer. The controller incorporates zoning, dimming, and color control capabilities into a single control system using a simple two-wire path installation.



Primary Features

- Zone control: Turn individual or groups of luminaires on and off at desired times
- Dimming control: Adjust the intensities of individual or groups of luminaires from 0-100%
- Color control: Create 30,000 colors for maximum design potential
- Color palette: Generate and save up to 250 custom colors
- Astronomical timing: Automatically track sunset and sunrise timing by setting your location
- Scene/theme creation: Design up to 40 themes ranging from every-night living to holidays and special celebrations
- Event-based programming: Turn custom themes or lighting luminaires on and off multiple times throughout the night
- Calendar-based programming: Ensure specific programs run only when needed with dedicated date-range programming
- Wireless control: Interact with the controller using iOS® and Android™ devices
- LAN connection: Conveniently incorporate wireless control using the preinstalled LAN module
- Smart home integration: Integrate and control ZDCLink using today's most popular smart home automation systems





Ultimate Control for Outdoor Living Spaces



The next-generation Luxor® lighting controller represents the future of advanced, low-voltage lighting control. In addition to incorporating zoning, dimming, and color into a single controller, Luxor can now create up to 40 distinct themes, and comes preset with convenient calendar-based programming, timed sunrise and sunset offsets, and dual 15V outputs.

GLOBAL DISTRIBUTION NETWORK



AUSTRALIA / OCEANIA

Brisbane Technology Park
77 Brandl Street
Eight Mile Plains, Queensland 4113
Australia
P: +61 7 3854 5000
F: +61 7 3854 5001
E: sales@lumascape.com



EUROPE

Via Molise, 6,
37138 Verona, Italy
P: +39 045 810 3615
E: salesEU@lumascape.com



NORTH AMERICA

1940 Diamond Street
San Marcos, California 92078
United States of America
P: +1 650 595 5862
E: info@lumascape.com



MIDDLE EAST

Dubai World Centre
Building Block C, Office #432
Dubai, United Arab Emirates
P: +971 4 887 9951
F: +971 4 887 9601
E: sales@lumascapeme.ae



ASIA

20 West Building, No 377 Wuyi Road
Wujin Hi-Tech Zone
Changzhou, Jiangsu, China
P: +86 519 8919 2555
F: +86 519 8919 1053
E: chinasales@lumascape.com